

REMARKS

Claims 1-14 are active in the present application. Claims 3-9 have been amended to remove multiple dependencies. Claim 4 has been amended to correct a typographical error. Claims 10-14 are new claims. Support for the new claims is found in the original claims. No new matter is added. An action on the merits and allowance of claims is solicited.

Respectfully submitted,

OBLON, SPIVAK, McCLELLAND,
MAIER & NEUSTADT, P.C.

Norman F. Oblon
Attorney of Record
Registration No. 24,618

Stefan U. Koschmieder, Ph.D.
Registration No. 50,238



22850

(703) 413-3000
Fax #: (703)413-2220
NFO:SUK\la
I:\atty\SUKOS\217735us-pr.wpd

217735US-0XPCT

Marked-Up Copy

Serial No:

Amendment Filed on:

2-1-2002

IN THE CLAIMS

Please amend the claims as follows.

--3. (Amended) The polycarbonate resin composition as claimed in claim 1 [or 2], wherein the functional silicone compound for the component (E) has a basic structure of a general formula (1):



wherein R1 indicates a functional group, R² indicates a hydrocarbon residue having from 1 to 12 carbon atoms, and a and b are numbers satisfying the relations of $0 < a \leq 3$, $0 \leq b < 3$, and $0 < a + b \leq 3$.

4. (Amended) The polycarbonate resin composition as claimed in [any of claims 1 to 3] claim 1, wherein the functional group in the functional silicone compound for the component (E) is selected from an alkoxy group, a vinyl group, a [hydroge] hydrogen residue and an epoxy group.

5. (Amended) The polycarbonate resin composition as claimed in [any of claims 1 to 4] claim 1, wherein the functional group in the functional silicone compound for the component (E) is a methoxy group or a vinyl group.

6. (Amended) The polycarbonate resin composition as claimed in [any of claims 1 to 5] claim 1, wherein the polyfluoro-olefin resin for the component (C) is a fibril-forming polytetrafluoroethylene having a mean molecular weight of at least 500,000.

7. (Amended) The polycarbonate resin composition as claimed in [any of claims 1 to 6] claim 1, wherein the polycarbonate for the component (A) has a viscosity-average molecular weight of from 15,000 to 20,000.

8. (Amended) The polycarbonate resin composition as claimed in [any of claims 2 to 7] claim 2, wherein the inorganic filler for the component (F) is talc having a mean particle size of from 0.2 to 20 μm .

9. (Amended) Housings or parts of electric and electronic appliances, which comprise the polycarbonate resin composition of [any of claims 1 to 8] claim 1--

Claims 10-14 (New).